

Cc: [Nonresponsive based on revised scope]@westonsolutions.com [Nonresponsive based on revised scope]@westonsolutions.com
To: [Nonresponsive based on revised scope]@westonsolutions.com
From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: Wed 1/29/2020 10:58:11 PM (UTC)
Subject: Re: Upcoming Sampling

[Redacted]

Thanks. We will definitely not be doing any more soil sampling this week

Depending on Property 2 results we may have to do some additional PCB soil sampling down the road, but I don't expect any of that to take place in the near future

So please do not request a lab for soil samples at this time. Foreseeable future will be pixie dust, pile management & working on a strategy for the drum area

Thanks for checking

Chris

On Jan 29, 2020, at 8:19 AM, [Nonresponsive based on revised scope]@westonsolutions.com> wrote:

Hi Chris,

[Redacted] is going to submit an Analytical Request Form for the residential samples, sample dates before we demobe, 2/10 to 2/12.

The current lab assignment for soils ends Friday, do you anticipate sampling within the remainder of this week?

Do you anticipate START soil sampling for CLP analysis in the near future? ERRS processing soils and the demobe in two weeks, I do not foresee us requiring a soils lab until the end of February at the earliest. I would anticipate all of the analysis efforts will be the treated windrows segments for the ERRS lab.

We were planning to submit the continuation ARF for soil Metals and PCB samples for February. I would advise we not request a CLP Lab for many (if any) samples if we are not going to use it.

Thank you,

[Nonresponsive based on revised scope]
Region III START Response Manager

WESTON SOLUTIONS, INC.

[Nonresponsive based on revised scope]

[Nonresponsive based on revised scope]@WestonSolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.